Earth Inspired Elegance

Terra Naturale

Mineral based surface coating

AARKA® PAINTS

Terra Naturale



Terra Naturale

Earth Inspired Elegance

Terra Naturale by Aarka Paints is where nature meets design, a texture crafted from **real stone**, sourced from the **diverse landscapes of India.** Its sand-like grains, enhanced by a subtle polychromatic shimmer, respond to light in ways that evoke the shifting hues of nature itself. More than just a visual experience, the texture is tactile—inviting touch, creating depth, and offering a sensory connection to the earth.

Each batch, shaped by **natural variations**, carries its own unique shade, making every application one-of-a-kind. Terra Naturals is an ode to sustainability, designed for those who seek authenticity and elegance in their spaces. Perfect for designers who value both beauty and responsibility, it transforms walls into canvases of organic artistry.

Product Details





Avalable package sizes :
1kg, 5kgs and 20kgs

Area coverage :
15 - 18 Sq.ft per kg (3-4 coats)

Material thickness :
0.2 - 0.4 mm (3-4 coats)

Application tools :
Spray gun (2.5 mm nozzle)

Suitable for interiors

Subtle Texture, Timeless Charm

Terra’s soft, grainy finish adds an understated elegance that complements natural elements





ARTN 01 + TNBC + APU



ARTN 02 + TNBC + APU




ARTN 03 + TNBC + APU



ARTN 04 + TNBC + APU



ARTN 05 + TNBC + APU



ARTN 06 + TNBC + APU



ARTN 07 + TNBC + APU



ARTN 08 + TNBC + APU

TNBC: Terra Naturale Base Coat

APU: Aarka PU coat



ARTN 09 + TNBC + APU



ARTN 10 + TNBC + APU



ARTN 11 + TNBC + APU



ARTN 12 + TNBC + APU



ARTN 13 + TNBC + APU



ARTN 14 + TNBC + APU



ARTN 15 + TNBC + APU



ARTN 16 + TNBC + APU

TNBC: Terra Naturale Base Coat

APU: Aarka PU coat



ARTN 17 + TNBC + APU



ARTN 18 + TNBC + APU




ARTN 19 + TNBC + APU




ARTN 20 + TNBC + APU



ARTN 21 + TNBC + APU



ARTN 22 + TNBC + APU



ARTN 23 + TNBC + APU




ARTN 24 + TNBC + APU

TNBC: Terra Naturale Base Coat


APU: Aarka PU coat




ARTN 25 + TNBC + APU



ARTN 26 + TNBC + APU




ARTN 27 + TNBC + APU



ARTN 28 + TNBC + APU



ARTN 29 + TNBC + APU



ARTN 30 + TNBC + APU



ARTN 31 + TNBC + APU



ARTN 32 + TNBC + APU

TNBC: Terra Naturale Base Coat

APU: Aarka PU coat





ARTN 33 + TNBC + APU



ARTN 34 + TNBC + APU

TNBC: Terra Naturale Base Coat

APU: Aarka PU coat





ARTN 35 + TNBC + APU



ARTN 36 + TNBC + APU



ARTN 37 + TNBC + APU




ARTN 38 + TNBC + APU



ARTN 39 + TNBC + APU



ARTN 40 + TNBC + APU




ARTN 41 + TNBC + APU




ARTN 42 + TNBC + APU

TNBC: Terra Naturale Base Coat


APU: Aarka PU coat




ARTN 43 + TNBC + APU



ARTN 44 + TNBC + APU



ARTN 45 + TNBC + APU



ARTN 46 + TNBC + APU



ARTN 47 + TNBC + APU



ARTN 48 + TNBC + APU



ARTN 49 + TNBC + APU



ARTN 50 + TNBC + APU

TNBC: Terra Naturale Base Coat

APU: Aarka PU coat

Nature’s Canvas, Softly Textured

Terra’s polychromatic texture creates a soothing backdrop, echoing the beauty of nature in every grain



Application process

A detailed, step-by-step process for applying Terra Naturale:



1. Surface Preparation:

Wall Surface Preparation:
• Clean the wall thoroughly to remove dust, dirt, grease, or any loose particles.
• Ensure the surface is dry, smooth, and free of imperfections.
• Fill any cracks or holes with putty, sand it smooth, and wipe down the surface before moving forward.

MDF, Wood, and Other Surface Preparation:
• Clean the surface thoroughly to remove dust, dirt, grease, or any loose particles.
• Ensure the surface is dry, smooth, and free of imperfections.
• Fill any cracks or holes, sand them smooth, and wipe down the surface before moving forward.
• Apply two coats of a solvent-based primer (oil primer) to extend the durability of the surface.

Aarka Paints is not responsible for any color bleeding from MDF or similar boards that may occur during or after the application process.

2. Aarka Primer Application:

• Apply two coats of Aarka Primer to the entire surface, with 15% dilution using water. This ensures better adhesion for the texture paint.
• Allow 6-8 hours between coats to ensure the primer dries completely, depending on environmental conditions like humidity.

3. Application of Texture:

Base Coat Preparation:
• Ensure there are no stains or patches on the surface before applying the base coat.
• Apply two coats of Aarka Base Coat (ABC), ensuring it matches the color of the selected Terra Naturale texture coat.
• Allow each coat to dry for 6-8 hours, depending on environmental conditions.

First Texture Coat:
• Mix the texture paste thoroughly, diluting it by 30% with water.
• Use a spray gun with a 2.5mm nozzle, holding it 1.5 to 2 feet away from the surface. Spray in vertical and horizontal motions to ensure even coverage and a uniform layer.
• Avoid concentrating the spray on one spot to prevent dripping. We recommend testing the spray gun before application to adjust pressure and speed.
• Allow the first coat to dry for 10-12 hours, depending on environmental conditions like humidity.
• Once dry, lightly sand the surface with 400-grade sandpaper to smoothen it.

Second Texture Coat:
• Spray the second coat similarly, with 50% dilution.
• Allow 10-12 hours of drying time, then lightly sand the surface using 400-grade sandpaper.



Third Texture Coat:

• Apply the third coat following the same method as the second.

After drying, sand the surface lightly with 600-grade sandpaper to remove any loose particles and achieve a refined finish.

Application of Protective Coat

• Spray two coats of Aarka PU with a 1:1 dilution using water.

• Use a spray gun with a 1.4mm nozzle and allow 8-10 hours of drying time between the two coats for optimal protection.


Safety Disclaimer:

When spraying, always wear appropriate safety gear, such as protective masks, gloves, and eyewear, to avoid inhalation of particles or contact with the skin. Ensure the workspace is well-ventilated.

The physical texture sample represents the intended color and finish; however, slight variations may occur in the final product due to inherent material properties and production processes. As texture coatings are applied manually, subtle differences in appearance are natural and contribute to the uniqueness of each surface. For optimal results, we recommend testing the texture on a small section before proceeding with full-scale application.



All images shown are for representation purposes only. Actual product appearance may vary due to lighting, photography, and display settings.



Quality Manufacturers of Water-Based Interior and Exterior Surface Coatings.

Write to us at:

aarkapaints@gmail.com
heuristicformulations@gmail.com

Find us on :

aarkapaints_

www.aarkapaints.com

Heuristic Formulations

101, Cosmos Industrial Estate, Naik Pada, next to BASCO, Waliv, Vasai East, District Palghar, Pin code 401208, Maharashtra, India.

All products names, logos, and brands are property of their respective owners. Any Disputes are subject to Mumbai Jurisdiction.